

Bind together. Send secure.



# Product & Equipment Guide





**We are passionate about leading the thought behind and wrap around our nations pallets. It's how we look beyond the package to the products, processes and potential of our clients. It's why we now lead New Zealand in specialised pallet wrapping film and machinery.**

<b>Our Values</b>	<b>05.</b>
<b>Our Products</b>	<b>07.</b>
NanoWrap	VentWrap
NanoWrapH5	PolarShield
XT Wrap	SecuraWrap
ClearWrap	EziWrap
SmartWrap Wideweb	PalletPlus
SmartWrap	Stabulon™
QuickWrap	Pallet Strapping
WeatherShield	OrgaPack
<b>Our Machinery</b>	<b>23.</b>
Spinny	
Wulftec	
<b>Our Strength</b>	<b>40.</b>
<b>Quick Product Guide</b>	<b>42.</b>
<b>Load Profile Matrix</b>	<b>43.</b>
<b>Our Team</b>	<b>46.</b>

# For over three decades we've been making sure everything's tight and right for Kiwi businesses.

**Our approach to each task starts and finishes with a dedication to quality service. At Universal we believe in always treating our customers like they want to be treated.**

**It's a non-negotiable, every-day-in-every-way standard that delivers clarity of purpose to our work and peace of mind to our customers.**

Correct stretch wrapping not only ensures goods arrive in the best condition, it minimises damage costs and maximises process efficiency. That's why we take a broad view of your operation – to see where we can save time and money within every aspect of your pallet wrapping process.

Since we first opened our doors in 1985 our team has worked with New Zealand companies from Kaitaia to the Bluff. Be it light or heavy, from tissue paper to concrete blocks, if it's dispatched on a daily basis the chances are that we've helped to wrap it.

This experience is vital. Pallet wrap, shrink wrap or stretch film, you can call it what you want. But when you need to get the most from product and processes, from how and where it's wrapped to key matters of security, efficiency and cost effectiveness, call us first.

## Our Values

Read some company values and you'll be forgiven for thinking they were written by throwing a bunch of fancy-sounding words in a hat and then picking a few out at random. The results are generally bland, inappropriate and entirely forgettable.

That's not for us. Our values provide us with focus in our everyday work and purpose in our each-and-every minute effort. They ensure the products and service of Universal are the best they can be. They are consistent. They are authentic. They are non-negotiable.



# 1. We work together

As individuals we work with total commitment for the ongoing success of the company. As a company we work for the shared enjoyment and victories of our people. It's really that simple.

# 2. We aim high

With passion and professionalism, experience and expertise, nothing is impossible. Our ability to get large projects over the line is well known, and we take pride in how we can 'find a way when there is no way'. With strategic thinking and a focus on tomorrow we are ready for every opportunity ahead.

# 3. We wrap tight

In the art and science of logistics there can be millions in the millimetres. That's why on each and every job we stay focused and work hard. Diligence is vital. When it comes to our customer's need for optimal efficiency and cost-effectiveness, near enough is not good enough. It's got to be right.

# 4. We see right

Our customers know that if we say we can do it, we will. We ensure this happens with thorough knowledge of products, processes and equipment. We undertake it with a can-do attitude and our 'all for one, one for all' team-wide mindset.

# 5. We deliver as promised

Our work is to bind. Our word is our bond. To ensure long-term success the reputation of our company must be incontestable. We must therefore remain transparent in our motives and true to our word, accepting responsibility and delivering accountability. Our integrity is everything.



# 07.

## Our Products :

We offer a superior range of pallet wrapping products thanks to our dedication to research and development.

Only by consistently looking to the needs of our customers and how best we can meet these needs can we ensure our product range can fit the pallet and fit the purpose in the most efficient and cost-effective way possible.



# NANOWRAP<sup>U</sup>

We are proud to offer this high-tech, future-focused pallet wrap to forward-thinking companies around New Zealand. Nanowrap is the result of a big investment in research and development – joining multiple layers into an ultra-thin polymer required specialist expertise and technology. The result was worth it. 33 layers of high-performance wrap – a uniquely formulated film with a core formation to deliver 300% stretch capacity and maximum load stability, minimal weight and enduring peace of mind.

### Features

- Load Protection.** Nanowrap delivers unrivalled performance levels in load containment and puncture resistance. Even though the overall thickness is reduced (in comparison to other packaging films) load stability is far higher.
- Eco Sustainability.** Reduce film weight by 35% and massively reduce waste and minimise potential landfill impact. With less shipping weight less fuel is needed too, making Nanowrap a win-win choice.
- Cost Savings.** The smallest gains can make a big difference in logistical costs. So when 1 metre of unstretched Nano film is stretched to 4m of wrap you're using up to 35% less product per pallet, well... those savings can be significant.



### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20412	<b>NanoWrap 12</b> Machine Stretch Wrap 500mm x 2720m x 12mu	1	50
20415	<b>NanoWrap 15</b> Machine Stretch Wrap 500mm x 2175m x 15mu	1	50
20416	<b>NanoWrap UVA</b> Machine Stretch Wrap 500mm x 2175m x 15mu	1	50
20417	<b>NanoWrap 17</b> Machine Stretch Wrap 500mm x 1920m x 17mu	1	50
20420	<b>NanoWrap 20</b> Machine Stretch Wrap 500mm x 1630m x 20mu	1	50
20423	<b>NanoWrap 23</b> Machine Stretch Wrap 500mm x 1420m x 23mu	1	50
20475	<b>NanoWrap EW</b> Machine Stretch Wrap 750mm x 2175m x 15mu	1	25
20477	<b>NanoWrap EW</b> Machine Stretch Wrap 750mm x 1920m x 17mu	1	25

### The Nano Advantage


**Nano = 175**  
750mm x 1920m x 17um

**Standard = 138**  
750mm x 2025m x 20um



# NANOWRAP<sup>H</sup>

The hand-wrapping version of our industry-leading Nanowrap means New Zealand's distribution operations now have all the benefits of the innovative packaging film within arms reach. With easy application and incredible potential savings per pallet you can do far more with far less, quickly and easily hand wrapping pallets while cutting down on waste and maximizing load protection.




### Features

- Protect.** While it's not as thick as other packaging films it's even tougher – with superior performance levels in load containment, puncture resistance and load stability.
- Ease.** Designed for walk-forward application, NanowrapH5 greatly cuts down on the risk of trips and falls while reducing repetitive back strain.
- Sustain.** You can reduce film weight by 35% and massively reduce waste and minimise potential landfill impact. With less shipping weight there's less fuel costs too – a nice bonus.
- Thin film.** Use at least 10% less film with this advanced Nano layer film.
- Tough.** Reinforced edge + extra tough puncture resistant film.
- Sustain.** Light guage cardboard core to minimise waste.

### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20455	<b>NanoH5</b> Hand Stretch Wrap 430mm x 600m	6	192
20459	<b>NanoH9</b> Hand Stretch Wrap 430mm x 300m	6	192





## XTWRAP

With heavy-duty reinforced edges and incredible stretch capability XTWrap makes it exceptionally easy to make excellent savings when hand wrapping. There's greater comfort – it's designed for walk-forward application and the lightweight, aerated roll reduces strain. There is less damage (the banded edge of the puncture-resistant film increases the holding force on the pallet). And there's greater efficiency. The reduced plastic per pallet helping minimise waste overall operating costs, savings of up to 50% less compared with conventional 20 – 23 micron film.



### Features

**More comfort.** When hand-wrapping pallets many people tend to walk backwards. It's an unhealthy approach. In the short-term there's a risk of trips and falls. In the long-term it causes repetitive strain on the back.

The roll is designed for walk-forward application and the lightweight, aerated roll minimises strain and effort. As an easier and safer product for hand wrapping XTWrap helps both individuals and companies step forward with confidence.

**Less breakage.** Tears in packaging film can compromise the goods on the pallet and frustrate operators. The reinforced edges prevent tears while the puncture-resistant composition of the film keeps any small rips in their place.

The tougher borders also eliminate edge catch – a primary cause of tearing. The roll itself is aerated, giving it a spongy texture that also prevents damage to the film if a roll is dropped.

**Less waste.** It doesn't matter what industry you're in, chances are you're striving to minimise waste, inefficiency and overall operating costs. Reducing the amount of plastic used to wrap each pallet load can be a big step in this process.


XTWrap is stronger than other wraps. Which means that less is needed to contain a pallet load. We're not talking small savings here either – it can be up to 50% less when compared with a conventional 20 - 23 micron film. So you can use half as much wrap without compromising load integrity.

**More security.** It's simple – damage to product means damage to your bottom line. When wrapped in XTWrap a pallet load is firmly and more securely contained. It's safer in transit and product damage is less likely.

This security is primarily thanks to the reinforced edge. This acts like a band, allowing the wrap to grip a pallet load more firmly and increasing the overall holding force of the packaging.


### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20281	XTWrap Hand Stretch Wrap 500mm x 330m	6	192



## CLEARWRAP

It's New Zealand's favourite choice in stretch wrap, a quality, ultra-clear, hybrid cast film offering superior elasticity, higher puncture resistance and excellent stretch memory. With these benefits you can easily identify and scan wrapped products, maximise the value per wrap and ensure stable and secure pallets long after wrapping has been completed. For peace and quiet when wrapping and peace of mind as your goods are stored and transported the choice is clear.



### Features

**Elasticity:** Outstanding stretch guarantees up to 300% yield per roll. Maximise your value per wrap while keeping the cost per pallet down.

**Cling:** Specially formulated one sided cling means wrap clings to itself but not the neighbouring pallets.

**Memory:** Excellent elastic memory; means guaranteed pallet integrity, keeps loads stable and secure during transport and long after film is applied.

**Clarity:** Crystal clear film ensures top quality presentation, ease of product identification and barcode scanning.

**Low Noise:** Super quiet unwind allows application near offices and telephones.

**Quality Assured:** Manufactured for the New Zealand market under ISO 900 1:200 certificate and is FDA approved.



Banding increases airflow on hot products to help eliminate condensation

### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20006	ClearWrap20 Hand Stretch Wrap 500mm x 350m x 20um	6	180
20002	ClearWrap23 Hand Stretch Wrap 500mm x 400m x 23um	4	160
20049	ClearWrap15 Machine Stretch Wrap 500mm x 2700m x 15um	1	40
20051	ClearWrap18 Machine Stretch Wrap 500mm x 2250m x 18um	1	40
20052	ClearWrap20 Machine Stretch Wrap 500mm x 2025m x 20um	1	40
20054	ClearWrap23 Machine Stretch Wrap 500mm x 1750m x 23um	1	40
20059	ClearWrap30 Machine Stretch Wrap 500mm x 1350m x 30um	1	40
20070	ClearWrap18W Machine Stretch Wrap 600mm x 2250m x 18um	1	40
20072	ClearWrap20W Machine Stretch Wrap 600mm x 2025m x 20um	1	40
20074	ClearWrap23W Machine Stretch Wrap 600mm x 1750m x 23um	1	40
20078	ClearWrap30W Machine Stretch Wrap 600mm x 1350m x 30um	1	40
20082	ClearWrap20EW Machine Stretch Wrap 750mm x 2025m x 20um	1	20



## SMARTWRAP<sup>U</sup>

WIDEWEB

Smartwrap Wide Web jumbo rolls are ideally suited to 'lights out' manufacturing areas where minimal operator input is required. Wide Web format film is preferred when products are approximately the same in height and generally uniform in shape. Only four to six rotations are required to secure most loads; rolls changeover is generally reduced to one change per shift and pilferage, loss and breakage are dramatically reduced.



### Features

- Speed.** Wrap pallets with less equipment revolutions and less time needed, ensuring you can send goods out the door quickly and efficiently.
- Size.** The large size and tough construction makes this product ideal for wrapping large objects that require tall pallet loads.
- Cost Savings.** SmartWrap Wideweb is also helpful for wrapping regular sized pallet loads to save on film and energy costs.

### Product Options

Code	Description	Rolls/Pallet
20290	<b>SmartWrap WideWeb</b> Machine Stretch Wrap, 120kg Roll 1400mm x 7750m x 12um	3



## SMARTWRAP<sup>U</sup>

For the intelligent choice in wrapping SmartWrap provides all the strength for your pallets with a fraction of the wrap. That's thanks to the smart resins and state-of-the-art technology within production of the advanced wrap, a process that ensures, when compared to standard wrap products, you can wrap the same amount of pallets with 50% less film. When you need greater load stability, easy-use and less time wasted with your wrapping, wise up with SmartWrap.



### Features

- Less is More** Double your output and save up to 50% on your film consumption.
- Plus all the features and benefits of ClearWrap**
- Cling** Specially formulated inside cling means wrap clings to itself but not the neighbouring pallets.
- Memory** Excellent elastic memory; means guaranteed pallet integrity, keeps loads stable and secure during transport and long after film is applied.
- Clarity** Crystal clear film ensures top quality presentation, ease of product identification and barcode scanning.
- Low Noise** Super quiet unwind allows application near offices and telephones.
- Quality Assured** Manufactured for the New Zealand market under ISO 900 1:200 certificate and is FDA approved.

### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20278	<b>SmartWrap</b> Hand Stretch Wrap 500mm x 550m, Elite	4	200
20280	<b>SmartWrap</b> Hand Stretch Wrap 500mm x 400m, Premium	4	200
20282	<b>SmartWrap</b> Hand Stretch Wrap 500mm x 350m, Ultra	4	200
20283	<b>SmartWrap</b> Hand Stretch Wrap 500mm x 300m, Tough	4	200
20285	<b>SmartWrap</b> Machine Stretch Wrap 500mm x 2500m, Premium	1	50





## QUICKWRAP

Sure, we could go on and on about the benefits of this film. But don't worry – we'll keep it quick. Quick and easy to handle, this revolutionary pallet wrapping film combines the qualities of the conventional ClearWrap films with the easier application properties of pre-stretch technology. QuickWrap offers minimum cost per wrap, less waste and is safe and easy to use. When you have the need for speed this wrap is a snap.



### Features

-  **Better Value**  
Having been pre-stretched, maximum yield from the roll has already been realised, ensuring a more cost effective option.
-  **Easier to Apply**  
QuickWrap is easier to apply which increases productivity and minimises the risk of injury and strain. Pre-stretching results in an aerated roll which is lighter and softer to handle.
-  **Exceptional Performance**  
Having been pre-stretched, maximum yield from the roll has already been realised, ensuring a more cost effective option.
-  **Added Value**  
All rolls come packed in durable cardboard cartons to prevent dust buildup and roll damage.



### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20328	<b>QuickWrap</b> Pre-stretched Hand Wrap 450mm x 500m, Heavy	4	160



## WEATHERSHIELD

This is the ultimate all-weather wrap for your products – a specifically formulated hybrid cast stretch wrapping film designed for use on pallets that will be exposed to the elements. WeatherShield delivers all the performance standards of ClearWrap along with the all-important weather-proofing benefits, including an extra high inside cling to guard against water ingress and superior UV stabilisation. For durable and secure pallet protection you'll be packing with confidence – and singing in the rain.



### Features

WeatherShield combines key weather proofing benefits:

-  **Waterproof**  
Extra high inside cling eliminates water ingress and stops wrap unwind. Inside cling means it clings to itself but not the neighbouring pallets.
-  **UV Stabilisation**  
With a high UV content, this film will withstand outdoor conditions for up to 18 months. Protect your products from harmful rays.

Plus all the features and benefits of ClearWrap



### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20391	<b>WeatherShield20</b> Hand Stretch Wrap UV 500mm x 400m x 20um	4	160
20764	<b>WeatherShield23</b> Machine Stretch Wrap UV 500mm x 1500m x 23um	1	40
20769	<b>WeatherShield30</b> Machine Stretch Wrap UV 500mm x 1150m x 30um	1	40





## VENTWRAP




This perforated stretch wrap has been carefully developed to provide perfectly vented protection for pallets of produce, dairy, beverage and frozen food. With punched holes for ventilation this wrap eliminates condensation build-up on the inside of the film and markedly reduces spoilage times – all without losing the strength and convenience of regular pallet wrap or the performance capabilities of stretch netting.

### Features

- Hot Filled Products**  
VentWrap prevents condensation developing avoiding associated problems such as, rust on tins or caps, discolouration of packaging & labels and impaired performance of glues.
- Frozen Products**  
VentWrap shortens the freezing time as the cold air comes through to the product quicker. Also the thawing time is shortened as the moisture can escape faster.
- Fresh Produce & Plants**  
VentWrap gives product protection combined with optimal air circulation contributing to longer lasting freshness.

### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20615	<b>VentWrap</b> Perforated Hand Stretch Wrap 420mm x 500m, Pre-stretch	6	160
20620	<b>VentWrap</b> Perforated Machine Wrap 500mm x 1200m x 30mm	6	40



## POLARSHIELD



Developed for our cool customers this tough, durable wrap can withstand the harsh conditions of freezer environments without losing any of its exceptional cling, puncture resistance and elastic memory. That ensures pallet integrity, load stability and product security throughout the freezing and storage process. Don't get hot under the collar after leaving your freezer pallet storage to chance. Keep a cool head and pack safe with PolarShield.

### Features

- Cling**  
The formulation of PolarShield ensures it maintains the ability to cling to itself when the temperature drops. No loose tails ensures wrap doesn't unwind and get caught in materials handling equipment or satellite racking shuttles.
- Stretch**  
With up to 200% yield per roll you can increase your wraps per roll while decreasing your costs per pallet.
- Quality**  
Manufactured for the New Zealand market under ISO 900 1:200 certificate and is FDA approved.

### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20762	<b>PolarShield23</b> Machine Stretch Wrap 500mm x 1750m x 23um	1	40



## EZIWRAF



It's all 'easy does it' with our EziWrap. This bundling wrap can be used to replace tape and twine when packaging small items and, unlike tapes, it won't stick to the product or leave residue. The stretch wrap dispenser makes hand-wrapping easy too, the telescopic shaft and moulded hand-grip and top handle designed to be user-friendly across different sized rolls. With End Caps you'll also save your fingers, save time and save stress. Yes – it's that Ezi.



## SECURAWRAP



Sometimes you need to keep everything under wraps until the right time. With SecuraWrap you can conceal the contents of your cargo quickly and easily – the bright and bold wrapping effectively covering up what's inside and deterring theft during shipment. With this key strength the wrap is ideal for both protecting valuable and confidential products and quickly identifying products that are urgent, need to be used first or are perishable.

### Colour Options

- White** Excellent for food products as it does not attract the heat.
- Black** Generally used for concealing pallet loads of tobacco and alcohol.
- Red** Indicates product not fit for human consumption
- Blue & Yellow** Used for urgent freight identification and for identifying perishable stock which needs to be used first.

### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
20258	<b>SecuraWrap</b> Hand Stretch Wrap 500mm x 400m x 23um, White	4	160
20203	<b>SecuraWrap</b> Hand Stretch Wrap 500mm x 400m x 23um, Black	4	160
20255	<b>SecuraWrap</b> Hand Stretch Wrap 500mm x 400m x 23um, Red	4	160
20262	<b>SecuraWrap</b> Hand Stretch Wrap 500mm x 400m x 23um, Blue	4	160
20266	<b>SecuraWrap</b> Hand Stretch Wrap 500mm x 350m x 23um, Yellow	4	160
20253	<b>SecuraWrap</b> Machine Stretch Wrap 500mm x 1305m x 25um, Black	4	160



End Caps



Hand Wrap Dispenser

### Product Options

Code	Description	Qty/Carton
22300	<b>EziWrap</b> Bundle Wrap 100mm x 300m x 20um	20
22302	<b>EziWrap</b> Heavy Duty Bundle Wrap Dispenser	1
22200	<b>EziWrap</b> Heavy Duty Hand Stretch Wrap Dispenser	1
22202	<b>EziWrap</b> Plastic End Caps – Light Duty	2
22204	<b>EziWrap</b> Plastic End Caps – Heavy Duty	2

# PALLETPLUS

The individual strengths of our PalletPlus range certainly adds up to deliver the total pallet package. We offer an extensive range of pallet wrapping essentials to complement our range of stretch film products. We hold standard stock products and also manufacture customised products to individual requirements. That means, be it for top covers, top sheets, shrouds and hoods, bin liners, base and layer sheets, and corner boards, we've got you covered.

## Pallet Top Covers

Perforated sheets of plastic film on a roll to protect the top of palletised goods and large articles from dirt, rain and other damage during transit. A good tamper deterrent also. Top covers are supplied perforated on a roll. Dependent upon volume, custom made sizes, grades and colours are also available upon request.



## Pallet Top Sheets

Pallet Top Sheets come as a continuous single wound sheet (SWS) for fully automated machine application and are often custom made to suit the client's machine.

### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
22700	<b>Pallet Top Covers, Natural, 250/roll</b> 840/1680mmW x 1680mmL x 20um	1	36
22702	<b>Pallet Top Covers, Black, 250/roll</b> 840/1680mmW x 1680mmL x 20um	1	36
22705	<b>Pallet Top Covers, Natural, 250/roll</b> 1000/2000mmW x 2000mmL x 20um	1	25
22720	<b>Pallet Top Covers, Natural, 100/roll</b> 1050/2100mmW x 3000mmL x 50um	1	20
22810	<b>Pallet Top Sheets, SWS, Natural</b> 1600mmW x 500mL x 50um	1	20
22842	<b>Pallet Top Sheets, SWS, Natural</b> 2000mmW x 600mL x 50um	1	20

## Pallet Shrouds

Heavy duty heat shrinkable and non-shrinkable pallet shrouds, used to provide a secure, puncture and weather resistant covering for unstable, heavy/irregular shaped products. Supplied perforated on a roll for ease of application. Also custom made on request in a range of sizes, thickness and colours.




### Product Options

Code	Description	Rolls/Carton	Rolls/Pallet
23070	<b>Pallet Shrouds, Natural, 75/roll</b> 1270 x 1070 x 1200mm, 70um	1	20
23004	<b>Pallet Shrouds, Natural, 30/roll</b> 1270 x 1070 x 1800mm, 125um	1	20
23068	<b>Pallet Shrouds, White, 25/roll</b> 1270 x 1070 x 1800mm, 100um	1	30
23017	<b>Pallet Shrouds, Natural, 50/roll</b> 1270 x 1070 x 1800mm, 50um	1	20

## Pallet Base

Pallet Base and Layer Sheets offer protection from water, dirt or dust. Made from heavy corrugated cardboard, PE Coated Kraft paper or non-slip plastic, pallet sheets are placed either on the base of a shipping pallet before the goods are placed on top, in-between layers of product offering stability and further protection or on top of a shipping pallet to protect the goods underneath.



### Product Options

Code	Description	Per/Pallet
22602	<b>Pallet Base Sheet, 415B Board Grade</b> 1200 x 1000mm	400
22610	<b>Kraft Layer Sheet, 80gsm, 200/pkt</b> 1200 x 900mm	-
22649	<b>Plastic Layer Sheet, Low Slip, 500/roll</b> 1200mm x 1000mm x 30um	-

## Pallet Corner Boards

Using Cardboard Corner Boards (Edge Protectors) avoids costly damage to products in transit or storage. They provide greater stacking strength when pallets are double or triple stacked, eliminate shifting loads and stabilize strapped or stretch-wrapped loads.



### Product Options

Code	Description	Per/Pallet
44504/1000	<b>Corner Board</b> 1000mm x 50mm x 50mm x 4mm	500
44504/1200	<b>Corner Board</b> 1200mm x 50mm x 50mm x 4mm	416
44504/1500	<b>Corner Board</b> 1500mm x 50mm x 50mm x 4mm	333
44504/2000	<b>Corner Board</b> 2000mm x 50mm x 50mm x 4mm	250

## Pallet Liners

Pallet Liners are a strong 125 micron clear polythene liner that are perforated on a roll for ease of use. Being leak-proof and safe to use with food, they are ideal for bulk bin liners where meat and seafood is being transported. They can also be used as a heavy duty pallet bag.



### Product Options

Code	Description	Per/Carton	Per/Pallet
25878	<b>Pallet Bin Liners, Natural</b> 2340mm x 1600mm x 125um Twin Side Seal,	30	20



# Stabulon™

**STABULON™ anti-slip paper sheets reduce stacked product layer shifting during shipping and handling. Thanks to the high coefficient (up to 42°) on both sides, they prevent all slippage and damages issues.**

- Recycled paper coated 2 sides
- High non-slip properties
- Rigid
- 100% recyclable
- ISO 14062 Eco-designed certified
- Tertiary packaging, indirect food contact
- Stabilize any packaging format
- Manual and automated applications

Available in two weights.

### Product Options

Code	Description	Per/Pallet
22670	<b>Stabulon 100, 2 Side</b> 1000mm x 1200mm 100gsm	5000
22672	<b>Stabulon 300, 2 Side</b> 1000mm x 1200mm 300gsm	2000



## Pallet Strapping

### Premium PET Strapping

PET Strapping is the polyester strap you can rely on to bind right and stay strong. Tougher than polypropylene and more economical than steel strapping, it keeps integrity and retains tension for ideal load stability. It's tough (even penetration by errant nails won't stop it), it's safe and it's easy to apply - there are no sharp edges and it can be used by hand or with automated machinery.



#### Product Options

Code	Description	Quantity
42015-1	<b>Premium PET strapping</b> 15.5mmw x .7mm x 1430m, Embossed surface Breaking strain: 432kg	20 Rolls
42005	<b>Premium PET strapping</b> 9mmw x .65mm x 3200m Embossed surface Breaking strain: 192kg	20 Rolls



### PET Strapping Dispenser

Keep your pallet PET Strapping in reach and at hand with this fast, easy and efficient dispenser. While lightweight in design it has stay-tough construction, ensuring long-term strapping peace of mind.



#### Product Options

Code	Description	Quantity
42004	<b>PET strapping dispenser</b> Strong, lightweight, easy to use Mobile, with wheels and handle	Each



## ORGAPACK

The OrgaPack range of strapping equipment is well respected internationally for some very good reasons. First there is the well-balanced design, ensuring day after day of stress-free use. Then there's the functionality. Users have strap alignment measurements, favourite strapping mode, real time indication of applied tension force and variable tension speed control - all within easy reach and at the touch of a finger.



### OR-T 130



Lightweight ease: Fast, easy and effortless, the OR-T 130 provides lightweight binding capability for functional pallet strapping.

### OR-T 260



Everyday reliability: With proven performance and ideal hand-held balance, the durable design and practical functionality of the OR-T 260 makes it the most popular strapping tool around the world.

### OR-T 450



Heavy-duty strength: Delivering an incredible 400-4500N of tension force the OR-T 450 is at the top of game for hand-held-in-control strapping capability.

	OR-T 130 Light	OR-T 260 Universal	OR-T 450 Heavy
<b>Strap type</b>	PET + PP	PET + PP	PET + PP
<b>Strap width</b>	9 - 13 mm	13 - 16 mm	16 - 19 mm
<b>Strap thickness</b>	PET: 0.4 - 0.8 mm; PP: 0.5 - 0.8 mm	0.5 - 1.0 mm	0.8 - 1.3 mm
<b>Weight</b>	3.6 kg	3.8 kg	4.3 kg
<b>Tension force</b>	150 - 1200 N	400 - 2500 N	400 - 4500 N
<b>Variable Tension Speed</b>	0 - 290 mm/s	0 - 220 mm/s	0 - 120 mm/s
<b>Cycles / Charge</b>	up to 800	up to 800	up to 800
<b>Battery</b>	Bosch Li-Ion 18V, 2.0Ah	Bosch Li-Ion 18V, 2.0Ah	Bosch Li-Ion 18V, 4.0Ah
<b>Charging time battery</b>	15 - 30 min	15 - 30 min	25 - 35 min
<b>Motor technology</b>	Single motor technology, brushless	Single motor technology, brushless	Single motor technology, brushless
<b>Dimension ( L x W x H )</b>	370 x 141 x 135 mm	370 x 141 x 135 mm	370 x 143 x 135 mm



# 23.

## Our Machinery:

With our international network and specialist partners we provide big and small New Zealand businesses with the advanced wrapping technology – the kind of equipment that saves time, money and stress with every pallet wrapped.

Our Spinnny machines provide the answer to all your hand wrapping issues. With speed, precision and ongoing reliability they wrap up, wrap fast and wrap right. Our Wulftec equipment delivers high-end wrapping versatility and functionality. When it comes to quantity and quality this technology leads the way.

# Zero1.0

Semi Automated Stretch Wrapper

For a stretch-wrapping machine that makes simple business sense you can't go past the Spinnny Zero 1.0. Equipped with a mechanical brake for film tension and convenient and easy to use controls the Zero 1.0 ensures a consistent quality wrap, lower labour costs and damage-free distribution.



## Features

- 1 year factory warranty
- Made in Italy
- Variable rotating speed from 6 to 12 rpm with gradual rotation start/stop
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Electronic control panel with four programmable wrapping cycles
- Single phase operation
- Full service maintenance plans
- Fast, nationwide parts backup
- Excellent after sales support and operator training

## Additional Options

- Smart Touch control panel with 4 customization wrapping programs
- Turn table capacity up to 2000 kg and diameter up to 2200 mm
- Wrap height up to 3800 mm
- Ramp
- Load cell and monitor



## Specifications

<b>Turntable Diameter</b>	1500 mm
<b>Turntable Capacity</b>	1200 kg
<b>Distance between mast and turntable</b>	500 mm
<b>Wrap Height</b>	2100 mm
<b>Turntable Speed</b>	0 to 12 rpm
<b>Production Rate Per hour</b>	25 loads
<b>Power Supply</b>	Single Phase
<b>IP Rating</b>	45-65
<b>Load size</b>	1200 x 1000mm



# S140 Advance

Semi Automated Stretch Wrapper

The Spinnny S140 Advanced models are equipped with electromagnetic brake for optimal film tension and ongoing ease of use. We have also positioned the film carriage on the opposite side of the mast to the control panel. This helps ensure safety, as the operator avoids working in the vicinity of the film carriage.



## Features

- 3 year factory warranty
- Made in Italy to rigorous quality standards
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- There-when-you-need-it parts backup
- Excellent after sales support and operator training

## Additional Options

- Turn table diameter up to 2200 mm
- Wrap height up to 3100 mm
- Ramp
- Load cell and monitor
- With slotted base for pallet trolley



## Specifications

<b>Turntable Diameter</b>	1650 mm
<b>Turntable Capacity</b>	2000 kg
<b>Distance between mast and turntable</b>	500 mm
<b>Wrap Height</b>	2100 mm
<b>Turntable Speed</b>	0 to 16 rpm
<b>Production Rate Per hour</b>	25 loads
<b>Power Supply</b>	Single Phase



# S140TP Advance

Semi Automated Stretch Wrapper

The Spinnny S140 TP Advance models have all the standard features of the S140 Advance and are also equipped with a slotted turntable, meaning you can load your pallet with a hand pallet trolley. This ensures you can roll up, wrap up and move your pallet on with the minimum of fuss and time.



## Features

- Slotted turntable for hand pallet trolley
- Electro magnetic braked film carriage
- Quality equipment made in Italy
- 3 year factory warranty
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Electronic control panel with four programmable wrapping cycles
- Single phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

## Additional Options

- Turn table diameter up to 2200mm
- Wrap height up to 3800 mm
- Ramp
- Load cell and monitor



## Specifications

<b>Turntable Diameter</b>	1650 mm
<b>Turntable Capacity</b>	2000 kg
<b>Distance between mast and turntable</b>	500 mm
<b>Wrap Height</b>	2100 mm
<b>Turntable Speed</b>	0 to 16 rpm
<b>Production Rate Per hour</b>	25 loads
<b>Power Supply</b>	Single Phase



# S300

Semi Automated Stretch Power Wrapper

The Spinnny S300 is equipped with a high-performance motorised pre-stretch film carriage, ensuring the best utilisation of stretch film and effective wrapping of light and unsteady loads that couldn't be wrapped effectively with conventional friction brake systems.



## Features

- Powered pre-stretch film carriage 200%-300%
- 3 year factory warranty
- Quality Italian design and construction
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- 5 Lockable programs to stop operator interference
- Full service maintenance plans
- Fast parts backup for ongoing peace of mind
- Superior post-sales support and operator training

## Additional Options

- Turn table diameter up to 1800 mm
- Mast extension from 2600-3100mm
- Loading ramp
- Integrated load cell and weight indicator
- Pit frame
- With slotted turntable for pallet trolley



## Specifications

<b>Turntable Diameter</b>	1650 mm
<b>Turntable Capacity</b>	2000 kg
<b>Distance between mast and turntable</b>	500 mm
<b>Wrap Height</b>	2100 mm
<b>Turntable Speed</b>	0 to 16 rpm
<b>Production Rate Per hour</b>	25-35 loads
<b>Power Supply</b>	Single Phase



# S500

Automated Stretch Wrapper

Fully automated and incredibly dependable, the Spinny S500 has an automated film clamp, welding and film cutting device. Simply deliver your pallet to the wrapper, activate the wrapper by remote and go and collect the next pallet while the S500 wraps your pallet automatically. It's a set-and-forget unit, delivering advanced wrapping efficiency in one easy-use package.



## Features

- Powered pre-stretch film carriage 200%-300%
- 3 year full factory parts warranty
- Fully automated film clamp, film cutting device and film tail heat sealer
- Touch screen control panel giving 10 programmable wrapping options ability to lock programs to stop operator interference
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Fork slots in base for ease of relocation
- Quality Italian design and construction

## Additional Options

- Turn table diameter up to 1800 mm
- Wrap height up to 3100 mm
- Loading ramp
- Integrated load cell and weight indicator
- Pit frame



## Specifications

<b>Turntable Diameter</b>	1650 mm
<b>Turntable Capacity</b>	2000 kg
<b>Distance between mast and turntable</b>	500 mm
<b>Wrap Height</b>	2500 mm
<b>Turntable Speed</b>	0 to 16 rpm
<b>Production Rate Per hour</b>	35-45 loads
<b>Power Supply</b>	Single Phase



# S500 Inline

Automated Stretch Wrapper

With the inline model of our popular S500 model you can keep your forklifts doing what they do best without having to worry about human intervention preparing the pallet or removing it from the turntable.



## Features

- Quality equipment made in Italy
- 3 year factory warranty
- Powered pre-stretch film carriage – 200% pre-stretch
- Fully automated film clamp, welding and film cutting device.
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- Touch screen control panel giving 10 programmable wrapping options
- Touch screen control panel offers ability to lock programs to stop operator interference
- Full service maintenance plans
- Excellent parts backup
- Quality Italian design and construction

## Additional Options

- 2200mm turntable diameter
- Mast extension up to 3800mm
- Additional conveyors
- Safety system



## Specifications

<b>Turntable Diameter</b>	1650 mm
<b>Turntable Capacity</b>	2000 kg
<b>Distance between mast and turntable</b>	500 mm
<b>Wrap Height</b>	2500 mm
<b>Turntable Speed</b>	0 to 16 rpm
<b>Production Rate Per hour</b>	45 – 65 loads
<b>Power Supply</b>	Single Phase
<b>IP Rating</b>	44 – 65

# S2300 Inline

Automated Stretch Wrapper

Fast, safe and hyper-efficient, the fully automated S2300 production wrapper's powered in-and-out conveyors keeps things moving from A to B with no DIY or extra OT needed.



## Features

- Powered film carriage provides 200% - 300% pre-stretch
- Production rate per hour: 50-70 loads
- Quality equipment made in Italy
- 3 year factory warranty
- Fully automated film clamp, welding and film cutting device.
- Soft start and stop turntable function
- Indexed turntable returns to start
- Power supply - 3 Phase
- Photo cell for automatic load height detection
- Touch screen control panel giving 10 programmable wrapping options
- Touch screen control panel offers ability to lock programs to stop operator interference
- Full service maintenance plan
- Parts backup when and where you need it

## Additional Options

- Additional conveyors
- Full safety system
- Top cover applicator

## Specifications

<b>Turntable Diameter</b>	1650 mm
<b>Turntable Capacity</b>	2000 kg
<b>Distance between mast and turntable</b>	500 mm
<b>Wrap Height</b>	2400 mm
<b>Turntable Speed</b>	0 to 16 rpm
<b>Production Rate Per hour</b>	50 - 70 loads
<b>Power Supply</b>	3 Phase
<b>IP Rating</b>	44 - 65



Photo: Seales Winslow Ashburton

# SMH150

Semi Automated Stretch Wrapper

The Wulftec SMH-150 model, a highprofile turntable wrapper. Also available with an extended turntable specifically designed as the ideal stretch wrapping solution for standard New Zealand dairy board pallets.



## Features

- Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

## Specifications

<b>Standard Turntable Diameter</b>	1300mm x 1300mm
Option:	
<b>Custom Dairy Board Pallet Turntable</b>	2200mm x 1160mm
<b>Turntable Speed</b>	0 to 16 rpm
<b>Turntable Height</b>	340mm
<b>Load Weight</b>	1800 kg
<b>Wrap Height</b>	2000 mm
<b>Production Rate Per hour</b>	25 loads
<b>Power Supply</b>	Single Phase



Photo: Seales Winslow Ashburton

# SMLPA200

Automated Stretch Wrapper

The Wulftec SMLPA-200 automatic stretch wrapping machine is the industry's most robust standalone wrapping machine. Built big, strong and tough the SMLPA-200 allows the forklift operator to place the pallet, and start the cycle remotely so other tasks can be performed.



## Features

- Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

## Specifications

<b>Turntable Speed</b>	0 to 16 rpm
<b>Maximum Load Size</b>	1270mmL x 1270mmW x 2035mmH
<b>Load Weight</b>	2200 kg
<b>Wrap Height</b>	2000mm
<b>Production Rate</b>	55 loads Per hour
<b>Power Supply</b>	Single Phase



Countdown Distribution Palmerston North

# SMLCA277

Fully Automated Stretch Wrapper

The SMLCA-277 model, a heavy duty automatic wrapper with powered conveyors on the turntable and a gravity out-feed conveyor. The SMLCA-277 allows the forklift operator to place the pallet, and start the cycle remotely so other tasks can be performed.



## Features

- Quality equipment made in Canada
- 5 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

## Specifications

<b>Turntable Speed</b>	0 to 16 rpm
<b>Maximum Load Size</b>	1220mmL x 1220mmW x 2035mmH
<b>Load Weight</b>	1800 kg
<b>Wrap Height</b>	2000mm
<b>Production Rate</b>	55 loads Per hour
<b>Power Supply</b>	Single Phase



Tomoana Warehousing Hastings

# WCA Smart

Fully Automated Stretch Wrapper

The WCA-SMART model, an extra heavy duty ring gear driven automatic conveyerised turntable system perfect for space restricted areas. Automatically applies & seals off the stretch film.



### Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated in-feed, process and out-feed roller conveyors
- Soft start and stop turntable function
- Indexed turntable returns to start
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Full service maintenance plans

### Specifications

<b>Turntable Speed</b>	0 to 16 rpm
<b>Maximum Load Size</b>	1220mmL x 1220mmW x 2035mmH
<b>Load Weight</b>	1800 kg
<b>Wrap Height</b>	2000mm
<b>Production Rate</b>	70 loads Per hour
<b>Power Supply</b>	3 Phase



Fonterra Collingwood

# WRTA150

Fully Automated Stretch Wrapper

The WRTA-150 model, an automatic rotary arm wrapper. This flexible design is ideal for odd shape loads, and allows for unlimited load weight capacity. Automatically applies & seals off the stretch film.



### Features

- Quality equipment made in Canada
- 4 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Superior driving mechanism with heavy duty ring gear with pinion gear drive
- Angled carriage to wrap approximately 2 above floor level
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm nothread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- Single phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

### Specifications

<b>Rotary Arm Speed</b>	0 to 17 rpm
<b>Maximum Load Size</b>	1400mmL x 1400mmW x 2035mmH
<b>Load Weight</b>	Unlimited
<b>Wrap Height</b>	2000mm
<b>Production Rate</b>	50 loads Per hour
<b>Power Supply</b>	Single Phase



Foodstuffs RLDC Palmerston North

# WCRT200

Fully Automated Stretch Wrapper

The WCRT-200 model, an automatic conveyorised wrapper, featuring an extra heavy duty ring gear driven rotary arm. Automatically applies & seals off the stretch film.



## Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated in-feed, process and out-feed roller conveyors
- Superior driving mechanism with heavy duty 25" ring gear with pinion gear drive
- Angled carriage to wrap approximately 2 above conveyor
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Allen Bradley monochrome touch screen – play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Electronic control panel with four programmable wrapping cycles
- 3 phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training wrapping

## Specifications

<b>Rotary Arm Speed</b>	0 to 15 rpm
<b>Maximum Load Size</b>	1220mmL x 1220mmW x 2035mmH
<b>Load Weight</b>	2200 kg
<b>Wrap Height</b>	2000mm
<b>Production Rate</b>	100 loads Per hour
<b>Power Supply</b>	3 Phase



Original easy load carriage

# WCAT450

Fully Automated Stretch Wrapper

The CAT (WCAT-450) model is an automatic rotary arm combined with a conveyorised turntable, the ideal stretch wrapping solution for high speed application. This versatile combo gives the possibility of switching operating modes: operation in only rotary arm mode, operation in only turntable mode or operation in combo arm turntable mode at 45 RPM. Expect to improve productivity, operator efficiency while reducing film and labor costs.



## Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated infeed, process and outfeed roller conveyors
- Superior driving mechanism with heavy duty 25" ring gear with pinion gear drive for rotary arm and turntable
- Angled carriage to wrap approximately 2 above conveyor
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Allen Bradley monochrome touch screen – play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Dual carriage lifting chains enclosed inside tower for operator safety
- Automated remote lube station (for turntable and rotary arm ring gear bearings)
- 3 phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training

## Specifications

<b>Turntable Speed</b>	0 to 25 rpm
<b>Rotary Arm Speed</b>	0 to 20 rpm
<b>Maximum Load Size</b>	1220mmL x 1220mmW x 2035mmH
<b>Load Weight</b>	2200 kg
<b>Wrap Height</b>	2000mm
<b>Production Rate</b>	120 loads Per hour
<b>Power Supply</b>	3 Phase



Oji Fibre Levin

# WRING250

Fully Automated Stretch Wrapper

Fully conveyORIZED automatic ring machine as the ideal stretchwrapping solution for your unique needs. Expect to improve productivity, operator efficiency while reducing film and labor costs.



## Features

- Quality equipment made in Canada
- 3 year unlimited cycle warranty
- 10 year warranty on structural steel frame
- LIFETIME warranty on pre-stretch rollers blue compound
- Fully automated film clamp, welding and film cutting device
- Fully automated in-feed, process and out-feed roller conveyors
- Angled carriage to wrap approximately 2 above conveyor
- Emergency stop sensor for arm path obstruction
- Soft start and stop rotary arm function
- Allen Bradley monochrome touch screen – play an active part in avoiding operator errors by offering a great versatility for customised information and alarm diagnostic
- Photo cell for automatic load height detection
- State-of-the-art electrical Nema 4/12 control panel, dust tight, waterproof, UL508A approved with all finger safe electrical components
- 100% structural steel construction
- Superior electrical/electronic design including Allen Bradley Micrologix PLC and AC drives
- Wulftec's exclusive 500mm no-thread® powered pre-stretch carriage (760mm optional)
- Easily available non-proprietary parts
- Electronic control panel with four programmable wrapping cycles
- 3 phase
- Full service maintenance plans
- Parts backup
- Excellent after sales support and operator training wrapping



## Specifications

Ring Speed	0 to 25 rpm
Maximum Load Size	1220mmL x 1020mmW x 2035mmH
Load Weight	2200 kg
Wrap Height	2000mm
Production Rate	75 loads Per hour
Power Supply	3 Phase



Heavy duty roller conveyors



Model: SMPLA2000  
Countdown Logistics Palmerston North.

# Collective expertise. Cohesive service. United success.

At Universal Packaging we're proud of our commitment to quality service. We know that in the art and science of logistics there can be millions made in the millimetres gained.

## Scope

The Scope programme has been developed to help NZ companies far more accurately monitor, improve and track pallet wrap use. At the heart of this programme is the tracking system, innovative technology that reports in real time pallet wrap cycle time, length and weight of film used and the date and time of pallets wrapped. This innovative system ensures significant increases in wrap efficiency, improving machine settings, ordering patterns, equipment utilisation and maintenance awareness.



## Support

The last thing you want to be thinking about is your equipment breaking down. Yet over the lifetime of a stretch wrapper machine things will occasionally go wrong. We've developed our support system over the years to ensure we can deliver expertise when you need it, be it at the end of a phone or on site with the machine.



We didn't get where we are by settling for second best when it comes to quality client service.

We have a trusted network of expert service agents throughout New Zealand. They provide fast repairs, routine maintenance and service checks on pallet wrappers and can quickly respond to emergency call outs for fast assistance. Our stretch-wrap equipment uses a high proportion of non-proprietary components also, allowing us to quickly and easily source parts. So any production downtime is kept to a minimum.



## Resources

Staying up to date with industry knowledge is key to optimising and maintaining your distribution capability. We've got the information for your innovation.

We invest in our training videos, tech guides, news articles and white papers to ensure our customers can stay up to speed with everything on offer. This knowledge is regularly sent out via The Binder, our ongoing newsletter, and it's also hosted online.

## Training

There are a lot of moving parts within pallet wrapping equipment and many things to know to ensure everything continues to run smoothly.

We can provide your distribution centre training in pallet wrapping either online or in person. This training can be undertaken either with a new equipment purchase or as refresher courses. In this way we can ensure every team member knows how to get the most from your pallet packaging.



## Our Team

**Our binding agreement:  
To be a trusted advisor to our customers by responding positively to their needs, supporting their business success and serving them in the way they like to be served.**



**Matthew Goudie**  
Managing Director



**Jed Goudie**  
Technical Sales



**Gavin Welsh**  
Finance Manager



**Olivia Bull**  
Customer Service Team Leader



**Dave White**  
Commercial Business Manger



**Mark Leary**  
Technical Sales



**Matt Goddin**  
Sales & Marketing Manager



**Alan Trask**  
Warehouse Logistics



**Garth Hill**  
Technical Sales



**Charlotte McNicol**  
Customer Service



**Brittany Whitten**  
Sales Support



**Emily Barnier**  
Marketing Coordinator



**Brae Rusling**  
Storeman



**Jodie Whittaker**  
Finance





To find out more get in touch today at  
[info@universalpackaging.co.nz](mailto:info@universalpackaging.co.nz)  
or on 0800 700 00

[universalpackaging.co.nz](http://universalpackaging.co.nz)

**Auckland**

4/68 McLaughlins Rd, Wiri  
Auckland, 2104

**Palmerston North**

142 Benmore Avenue  
Palmerston North 4412

**Christchurch**

2 Lydia St, Papanui  
Christchurch 8052

